## ASSESSMENT OF PHONOLOGICAL AWARENESS IN THAI CHILDREN AT RISK FOR LEARNING DISABILITIES

Adirek Munthuli<sup>1, 2</sup>, Thanaporn Anansiripinyo<sup>2, 3</sup>, Weerakul Silakorn<sup>1, 2</sup>, Chutamanee Onsuwan<sup>2, 3</sup>, Jarun Ngamvirojcharoen<sup>4</sup>, Thuchakorn Vachiramon<sup>4</sup>, Charturong Tantibundhit<sup>1, 2</sup>

<sup>1</sup>Department of Electrical and Computer Engineering, Faculty of Engineering, Thammasat University <sup>2</sup>Center of Excellence in Intelligent Informatics, Speech and Language Technology, and Service Innovation, Thammasat University

<sup>3</sup>Department of English and Linguistics, Faculty of Liberal Arts, Thammasat University <sup>4</sup>Sertis Health Innovation Co., Ltd, Thailand

5310450027@student.tu.ac.th, thana.anans@gmail.com, s\_werakul@outlook.com, consuwan@tu.ac.th, jngamvir@sertiscorp.com, tvachi@sertiscorp.com, tchartur@engr.tu.ac.th

#### ABSTRACT

This paper describes rationale and initial stage of developing a tool for screening Thai children at risk for Learning Disabilities (LD), "Noo-Khor-Arn" I read?', by 'May combining linguistics, mathematics, and memory criteria. Six main tests include Rapid naming, Decoding, Morphological awareness, Phonological awareness, Mathematics, and Memory. Phonological awareness is divided into five subtests: Initial phoneme deletion, Phoneme identification, Phoneme discrimination, Phoneme substitution, and Rhyme detection. Complete tests were administered to a pilot group of 10 Thai normally developed (ND) and five LD children (mean age  $8.20 \pm 0.68$  SD). Children's performance on the six tests showed a significant larger mean in ND. After minor data adjustment, Phonological awareness was ranked in the third place, following Decoding and Morphological awareness for separating LD from ND group and was proved to be a potentially good predictor (along with the use of ASR) for assessing LD in this sample.

**Keywords**: learning disability, screening test, phonological awareness, case-control study, Thai

#### **1. INTRODUCTION**

# 1.1. Phonological awareness and Learning Disabilities

"Phonological awareness is an awareness of sounds in spoken words that is revealed by such abilities as rhyming, matching initial consonants, and counting the number of phonemes in spoken words" [30]. This awareness enables children to understand that spoken words can be divided into a sequence of phonemes and enables them to manipulate the units of spoken language [13, 16, 29]. The awareness develops gradually over time and has a strong relationship to the early stages of reading development [1, 2, 31]. In cases where it fails to develop normally, children could show some forms of Learning Disabilities (LD) including difficulties in reading, writing, math, reasoning, listening, or even speaking. One type of LD that directly involves reading skills is Dyslexia. Individuals with Dyslexia generally struggle with letter or word recognition, word decoding, spelling, fluency reading, and reading comprehension, typically resulted from a deficit in the phonological component of language [14].

## 1.2. Screening children at risk for LD

LD can be diagnosed when children have some learning experiences in school typically at the age of 9 years old [26]. In English-speaking countries, paper-based tests written for screening children at risk for LD are typically composed of intelligence tests [35–36], achievement tests [4, 9], and language tests [8, 25]. These tests include several subtests such as mathematics, memory (e.g., word repetition and recalling sentences) and language (e.g., reading comprehension and writing). For Chinese, Shu et al. developed a language test for Chinese ND and LD children [27]. The results revealed that rapid naming, memory, phonological awareness, and morphological awareness are all useful for assessing LD. Other studies, based on languages such as English [6, 15], Japanese [24], and Korean [10–11], examined relationship between phonological awareness and language disabilities of 5-10 years old children with LD. The findings reconfirmed that phonological awareness was one of the most important predictors for screening children with LD.

## 1.3. LD screening in Thailand

In Thailand, it has been estimated that 1 in 10 people have some forms of LD and only certain amount are aware of the condition. Crucially, no reliable assessment that covers these important predictors has been developed. Beside an IQ test (Thai edition of

Wechsler Intelligence Scale for Children-Third Edition (WISC-III) [34]), Wide Range Achievement Test-Thai version (WRAT-Thai) [23] is widely used. The test consists of three parts; reading, spelling, and mathematics. However, this test has been translated from the English version and does not truly represent the Thai language, especially the phonological awareness domain. Another screening test, KUS-SI Rating Scales: ADHD/ LD/Autism (PDDs) [33] has limitations since it does not directly evaluate the children's skills. Rather, it is child's behaviour observation guidelines and ratings by their teachers or trained psychologists and it takes at least three months to complete. Currently, Rama Pre-Read: RPR [21], a very first screening test (software) in Thai that emphasizes language domains: initial sound matching, letter naming, rapid letter naming, letter sound, and category naming, but it has not widely been used.

Due to limitations of the current assessments tools in Thailand, the goal of this research was to develop a paper-based screening tool for Thai children at risk for LD. Assuming that phonological awareness task is a significant factor, our attempt was to manipulate phonological awareness task as one of our main subtests. It has been shown that the awareness can be assessed in different tasks such as phoneme deletion, phoneme discrimination, and rhyming [5, 12].

## 2. "NOO-KHOR-ARN" TOOL: FULL SET

A Thai paper-based screening tool "Noo-Khor-Arn" was designed to cover all relevant and important predictors for LD. Specifically, it has been modified based on previous studies and contains six main tests and 23 different subtests as outlined in table 1.

**Table1:** Screening tool "Noo-Khor-Arn" for Thai LDchildren

	1) Rapid character naming	
Rapid Naming	2) Rapid color naming	
1 0	<ol><li>Rapid shape naming</li></ol>	
	4) High-frequency word decoding	
Decoding	5) Pseudo-word decoding	
6	6) Digit reading	
Morphological	7) Morpheme production	
morphological	8) Morpheme deletion	
awareness	9) Noun-classifier detection	
	10) Initial phoneme deletion	
Phonological	11) Phoneme discrimination	
	12) Phoneme identification	
awareness	13) Phoneme substitution	
	14) Rhyme detection	
	15) Computational fluency	
Mathematics	16) Pattern detection	
	17) Object assembly	
	18) Block design	
	19) Corsi-block	
	20) Symbol search	
Memory	21) Syllable counting	
, , , , , , , , , , , , , , , , , , ,	22) Verbal instruction	
	23) Digit span	

In the first phase of the development, the tool was designed such that each subtest is composed of 15 items. This would be trimmed down after analysis of our preliminary findings to determine which subtests are crucial for early identification. Importantly, with this tool, different aspects phonological awareness in Thai (Table 1) could be systematically examined. In this paper, the focus is on the design and analysis of the findings from the tool's Phonological awareness main test.

## 3. PHONOLOGICAL AWARENESS TEST

Five phonological awareness tasks were selected based on significant variables from previous studies [5, 12]: Initial phoneme deletion, Phoneme discrimination, Phoneme identification, Phoneme substitution, and Rhyme detection (Table 1). To maintain an appropriate difficulty level of the test, all test items were selected from lexical database (with frequency and part-of-speech annotations) of Thai kindergarten and Grades 1-3 school children reading materials [17, 22]. Moreover, Gibbs demonstrated that using pictures in tests of phonological awareness can facilitate the tasks by not overloading working memory [7]. In our Phonological awareness test, test words were presented with associated pictures. No orthography was used to avoid an orthography effect. It is worth noting that all of the pictures were under creative commons CC0 license and have been checked for public availability.

## 3.1. Initial phoneme deletion

Initial phoneme deletion is the ability to remove an onset sound from a meaningful  $(CV(V)^{T}(C))$ monosyllabic word and to recognize what remains in a new meaningful monosyllable word. For example, if an onset of the target word "nou [ko:n] 'prior to'" is removed, we would get "oou [o:n] 'weak'". The target word was read aloud by examiner and the child provided an answer.

## 3.2. Phoneme discrimination

Phoneme discrimination task measures the ability to recognize speech sounds, particularly in phoneme units [37]. For each test item, the examiner read a target monosyllabic word aloud and two picture choices (A and B) were provided. The child would choose A or B, which shares identical phonemes as the target. A wrong choice, may contain a confusable phoneme in any positions: initial consonant, vowel, final consonant, and lexical tone [18-20]. For example, two pictures "at [lāŋ] 'box''' and "at [rāŋ] 'nest'" were provided for the target word "ลัง [lāŋ] 'box'".

#### 3.3. Phoneme identification

This task tests the ability to identify an existence of corresponding categories at phonological levels [28]. The task involves identifying of phoneme (initial or final) in the target word if it matches one in either A or B. The examiner gave three pictures, one target picture for the matching and the remaining two are choices. The child had to choose between A or B that matches in either initial or final consonant with the target. Figure 1 illustrates the target picture [rót]on the left and the two choices on the right, the task was to match the corresponding final consonant. The correct answer is "w̃n [p<sup>h</sup>át] 'folding fan".

**Figure 1**: Example of Thai final Phoneme identification test. (No orthography was used to avoid an orthography effect).



#### 3.4. Phoneme substitution

Phoneme substitution is the ability to segment and manipulate sounds [32] by substituting one phoneme in a word with another phoneme to form a new word. This task was designed to substitute either initial or final consonant of the second word with either initial or final consonant of the first word. The test was administered by examiner reading the words and the child giving back an answer. For example, for initial phoneme substitution task, two words "ñ n [kàt] 'bite" and "š n [rák] 'love" were given. The child had to substitute /r/ in [rák] with /k/ in [kàt] and the result would be "ñ n [kák] 'waistcoat'".

## 3.5. Rhyme detection

Rhyme detection is the ability to analyze spoken words into sub-syllabic units, rhyme and onset [3]. Two pictures/words were displayed. The child was asked to indicate the one that shares the same rhyme with the target word provided by examiner. For example, target word was " $\delta_1$  [dāŋ]'loud''' and the choices were between" {" $\lambda_1$  [fān] 'tooth''' " $\lambda_2$  [fāŋ] 'listen'''}, the second choice has the same rhyme [āŋ] with the target.

#### 4. METHOD

#### 4.1. Participants

For this present study, there were 15 Thai children in Grades 1–4 from an elementary school in Bangkok. The school is affiliated with a Thai Association, which encourages and supports potential people with LD. Among these, 10 children are normallydeveloped (ND) and five children were evaluated and reported by their teachers to have certain degrees of LD. All parents of the participants signed a consent form prior to their participation. All participants received a short training session before performing the test. In an extended (future) study, our test sample will be increased up to 200 children. They will be screened by specialists using gold standard tests available in Thailand such as WISC-III [34], KUS-SI [33], or Test of Nonverbal Intelligence, Fourth Edition (TONI-4) [38].

#### 4.2. Design and procedure

Participants performed all 23 subtests including five phonological awareness subtests (Table 1). Each subtest has 15 items and took up to three minutes to finish. Each one has a full score of 15 points except Rapid naming task, where the score is calculated by a ratio of correct responses and time consumption. The tool started with Rapid naming and followed by Decoding, Morphological awareness, Phonological awareness, Mathematics, and Memory. Practice for each subtest involved one item (not appear in the real test; provided without feedback) and a set of instructions. Participants could ask to repeat this until everything was well understood. Neither correct answer nor feedback was provided to participants during the test.

#### 4.3. Statistical analysis

Descriptive statistics (i.e., mean and standard deviation (SD)) for each main test and subtests of Phonological awareness were calculated. Two-way Analysis of Variance (ANOVA) of factor among condition of participants (ND vs. LD) and each main test determined the differences in means of individual group and to explore any significance between ND and LD in each main test. Our preliminary analysis did not classify the results in terms of gender, age, education, and family background.

#### 5. RESULTS

Five phonological awareness subtests along with other 18 subtests (from the six main tests) were administered to the participants. Mean and SD of children's performance in each main test are illustrated in Fig. 2. Means of score from LD group in individual main test were slightly lower than those from the ND group. It is worth noting that the means from the LD group in Decoding, Morphological awareness, and Phonological awareness (all related to language skills) were lower than half of the scores from ND group. To examine the differences between groups of ND and LD, two-way ANOVA among factors: subject-type (ND or LD) and six main tests was conducted.

**Figure 2**: Error chart between LD vs. ND groups in six main tests: Rapid naming (RN), Decoding (DEC), Morphological awareness (MA), Phonological awareness (PA), Mathematics (MATH), and Memory (MEM).



Significant difference between ND and LD groups was found [F(1,363) = 38.93, p<0.05], while the effects among the six tests were also significant [F(5,363) = 11.53, p < 0.05]. Before running post-hoc analysis, we decided to make minor data adjustment by removing two subtests (Initial phoneme deletion and Phoneme substitution) under Phonological awareness, where children's scores reached zero (the two subtests would be redesigned). The post-hoc results showed significance of the top two ranking in Decoding and Morphological awareness (p<0.05), followed by Phonological awareness (p=0.6475), Rapid naming (p=0.7953), Memory (p=0.8757), and Mathematics (p=0.9340). It suggested that tests that are language related (as opposed to Mathematics) were necessary for LD screening.

Independent analysis of Phonological awareness was performed. Significant difference was found between groups of ND and LD in the subtests [F(1,65) = 0.0024, p<0.05] but between three subtests, only Phoneme discrimination, Phoneme identification, and Rhyme detection reached significance [F(4,65) = 0, p<0.05]. Post-hoc analysis of Phonological awareness subtests revealed significant difference only for Phoneme discrimination (p=0.0342). For the remaining two subtests, there was a clear trend with larger mean scores in ND than LD group.

**Table 2**: Mean correct responses (full score=15) in subtests

 of Phonological awareness (two subtests were excluded).

		Participants	
	_	ND	LD
		(N=10)	(N=5)
1. Phoneme discrimination	mean (SD)	12.4 (1.5)	9.6 (2.6)
2. Phoneme identification	mean (SD)	5.0 (1.7)	3.6 (1.1)
3. Rhyme deletion	mean (SD)	8.0 (2.0)	6.0 (3.0)

## 6. DISCUSSION AND FUTURE DIRECTIONS

Based on our preliminary findings, Phonological awareness was proved to be a potentially good predictor for screening Thai LD children along with other language related tasks such as Decoding and Morphological awareness. As the current Initial phoneme deletion and Phoneme substitution subtests seemed to be too difficult for Thai elementary school children, these would need to be redesigned and further evaluated based on the ability reflected in the ND group. We speculated that the main confusion in the Initial phoneme deletion could be attributed to an orthography effect. According to the Thai writing system, a word's initial consonantal alphabet represents the initial sound as well as lexical tone. Therefore, when children were asked to delete an initial sound (and keep the tone intact), it apparently lead to confusions, some of them seemed to delete both the initial and the tone, and some failed to complete the task.

Areas for future directions would include a development of an Automatic Speech Recognition (ASR) systems for recognizing closed-domain words (produced by young children and adults) in all subtests for an automatic prediction of words in mobile application.

## 7. ACKNOWLEDGEMENT

This work was funded by Innovation and Technology Assistance Program (ITAP) and Sertis Co., Ltd.

#### 8. REFERENCES

- [1] Adams, M. J., Foorman, B. R., Lundberg, I., Beeler, T. 1998. *Phonemic awareness in young children: A classroom curriculum*. Baltimore, MD: Brookes.
- [2] Blachman, B. A., Kamil, D. M., Mosenthai, P. B., Pearson, P. D., Barr, R. 2000. Handbook of reading research. *Phonological awareness*, 3, 483–502.
- [3] Bradley, L., Bryant, P. E. 1078. Difficulties in auditory organisation as a possible cause of reading backwardness. *Nature*, 271(5647), 746.
- [4] Corporation of the psychological 1992. Wechsler Individual Achievement Test. San Antonio, TX: The Psychological Corporation.
- [5] Elbro, C., Borstrøm, I., Petersen, D. K. 1998. Predicting dyslexia from kindergarten: The importance of distinctness of phonological representations of lexical items. *Reading research quarterly*, 331, 36–60.
- [6] Fawcett, A. J., Nicolson, R. I. 1995. Persistence of phonological awareness deficits in older children with dyslexia. *Reading and Writing*, 74, 361–376.
- [7] Gibbs, S. 2003. Do pictures make a difference? A test of the hypothesis that performance in tests of phonological awareness is eased by the presence of pictures. *Educational Psychology in Practice*, 193, 219–228.
- [8] Goldman, R., Fristoe, M. 1986. Goldman Fristoe test of articulation. Circle Pines, MN: American Guidance Service.
- [9] Jastak, J. F., Jastak, S. R. 1965. *The wide range achievement test: Manual of instructions*. Wilmington, DE: Guidance Associates of Delaware.
- [10] Kim, D., Kim, W., Lee, K. 2007. The relationship between phonological awareness and early reading for first grade Korean language learners with reading difficulties. *Asia Pacific Education Review*, 83, 426–434.
- [11] Kim, Y.-s. 2007. Phonological awareness and literacy skills in Korean: An examination of the unique role of body-coda units. *Applied Psycholinguistics*, 281, 69–94.
- [12] Krajewski, K., Schneider, W. 2009. Exploring the impact of phonological awareness, visual--spatial working memory, and preschool quantity--number competencies on mathematics achievement in elementary school: Findings from a 3-year longitudinal study. *Journal of experimental child psychology*, 1034, 516–531.
- [13] Lewkowicz, N. K. 1980. Phonemic awareness training: What to teach and how to teach it. *Journal of Educational Psychology*, 725, 686.
- [14] Lyon, G. R., Shaywitz, S. E., Bennett, A. 2003. A definition of dyslexia. *Annals of dyslexia*, 531, 1–14.
- [15] Mann, V. A., Foy, J. G. 2003. Phonological awareness, speech development, and letter knowledge in preschool children. *Annals of Dyslexia*, 531, 149-173.
- [16] Mattingly, I. G., Kavanagh, J., Mattingly, J. 1972. Reading, the linguistic process, and linguistic awareness. Cambridge, MA: MIT Press.
- [17] Ministry of Education. 1986. Basic words for teaching Thai language, Primary education. Dusit, BKK: Department of Curriculum and Instruction Development, Ministry of Education.
- [18] Munthuli, A., Tantibundhit, C., Onsuwan, C., Kosawat, K., Klangpornkun, N. 2014. Thai Phonetically Balanced Word Recognition Test: Test-retest Reliability and Error Analysis. Proc. Australasian International Speech Science and Technology Conference SST. Christchurch, New Zealand.
- [19] Panpraneet, P. 2014. Thai Children's Perception and Production of Thai Lexical Tones. Master's thesis.

Pranakorn, BKK: Department of Linguistics, Faculty of Liberal Arts, Thammasat University.

- [20] Phienphanich, P., Onsuwan, C., Tantibundhit, C., Saimai, N., Saimai, T. 2014. Modeling predictive perceptual representation of Thai initial consonants. *Coordination and Standardization of Speech Databases and Assessment Techniques COCOSDA*. Phuket, Thailand.
- [21] Ruangdaraganon, N., Wongladarom, V., Saengthong, T. 2013. *Rama Pre Read: RPR*. Retrieved 31<sup>st</sup> November 2018, from http://readtolive.org.
- [22] Sangworasin, R. 2003. Education of Kindergarten's Vocabulary 4–5 years old in Bangkok. Pathumwan, BKK: Department of Primary Education, Faculty of Education, Chulalongkorn University.
- [23] Sayawaranon, P. 1997. The study of academic achievement in elementary school students. *Thai Journal of Clinical Psychology*, 282, 24–37.
- [24] Seki, A., Kassai, K., Uchimaya, H., Koeda, T. 2008. Reading ability and phonological awareness in Japanese children with dyslexia. *Brain and Development*, 303, 179– 188.
- [25] Semel, E. M., Wiig, E. H., Secord, W. 1995. CELF3: clinical evaluation of language fundamentals. San Antonio, TX: Psychological Corporation, Harcourt Brace.
- [26] Shaywitz, S. E. 1998. Dyslexia. New England Journal of Medicine, 3385, 307–312.
- [27] Shu, H., McBride-Chang, C., Wu, S., Liu, H. 2006. Understanding chinese developmental dyslexia: Morphological awareness as a core cognitive construct. *Journal of Educational Psychology*, 981, 122–133.
- [28] Simon, C., Fourcin, A. J. 1978. Cross-language study of speech-pattern learning. *The Journal of the Acoustical Society of America*, 633, 925–935.
- [29] Snow, C. E., Burns, M. S., Griffin, P. 1998. Preventing reading difficulties in young children committee on the prevention of reading difficulties in young children. Washington, DC: National Academy Press.
- [30] Stahl, S. A., Murray, B. A. 1994. Defining phonological awareness and its relationship to early reading. *Journal of educational Psychology*, 862, 221–234.
- [31] Stanovich, K. E. 2009. Matthew effects in reading: Some consequences of individual differences in the acquisition of literacy. *Journal of education*, 189(1–2), 23–55.
- [32] Stanovich, K. E., Cunningman, A. E., Cramer, B. B. 1984. Assessing phonological awareness in kindergarten children: Issues of task comparability. AMS: Elsevier.
- [33] Utairatanakit, D., Pornnoppadol, C., Rohitsuk, W., Yasinthorn, N., Andrade, S. W. 2008. Potential development for students with autism, attention deficit hyperactivity disorder, and learning disorders. 46th Kasetsart University Annual Conference. Bangkok, Thailand.
- [34] Wanitrommanee, K., Chanarong, P., Vechvirool, C. 2004. The study of intellectual quotient IQ scores of Thai children ages 6-16 years using the WISC-III : Thai version. Muang, NON: Department of Mental Health.
- [35] Wechsler, D. 1949. *Wechsler intelligence scale for children*. New York, NY: Psychological Corporation.
- [36] Wechsler, D. 1967. Manual for the Wechsler preschool and primary scale of intelligence. New York, NY: Psychological Corporation.
- [37] Wepman, J. M. 1958. *Auditory discrimination test*. Chicago, IL: Language Research Associates.
- [38] Brown, L., Sherbenou, R. J., & Johnsen, S. K. 2010. Test of nonverbal intelligence: TONI-4. Austin, TX: Pro-ed.